




Dog Walk Setup Instruction

Note: Customers will not receive any setup instruction from shipment.
Customers can download from www.dogagilityusa.com or find from where made purchase



1. You should receive total 4 boxes, look like above picture shows. One center plank, two ramp planks and a base box

2. Above picture shows the content(s) in each box of total 4 boxes. Box 1




3. Box # 4/4 is base component box. There are many parts need for setup and connections. Refer the part number when we go through following setup steps.

4. Some shipment customers received folding plank look like left picture shows. Customers need to put leather covers onto the hinge lock handles. Leather covers have Velcro on them.




5: Press the hinge handles and release lock to open the planks




Notice this is #P00, described in 2nd picture of last page.




6: Flip over the center plank and each corner you have a black grip connector for connecting the base legs #P01



6: Inserting the base legs #P01 into the leg connector, then tighten two knob screws



7: Repeat step 6 and tighten all knob screws to fix legs onto the center plank



8: by pushing the snap peg heads on both sides of the leg to adjust dog walk to desired height.




Notice this side is small head of the connector P05

Notice this side is connect to big sleeve head of telescopic rod P09


9: Connect diagonal rod supports to base leg and center plank. Used parts: #P05 and #P09
Notice the indication marked in picture



10: correctly connect the other end of diagonal rod support with the plank. Then tighten the rod clamp knobs. Used parts: P07, P09



11: 4 sets of diagonal rods #P09 have been connected to the center plank and base legs



12: Lay all planks in order and flip center section up right. Use part # P03 to connect two ramp planks to center plank.

13. Connect ramp side telescope rods from base legs to ramp plank on both sides. We let you fig it out how to connect them together. It is just a repeat process of assemble them on center plank.

Agility people are smart people 😊


It will look like this after all planks are connected



14-1. install the center vertical support. Part # P02,



41-2. install the 2 ramp vertical support. Part # P08



This setup guide is prepared by Animal Sports International.

ASI reserves all copy rights and is not responsible for any Miss or unsafely assembling processes that result any unexpected accident and personal injuries.

Questions:
Write to: animalsports@att.net

